Revised Algase Wandering Scale (RAWS) – Community Version Nelson, A. L. (2007). *Evidence-based protocols for managing wandering behaviors*. Springer Publishing Company.

Please circle the number beside the statement which best describes your family member's current ability or behaviour. Use the following scale: 1= never or unable; 2 = seldom; 3 = sometimes; 4 = usually; 5 = always.

	1 Never/	2 Seldom	3 Sometimes	4 Usually	5 Always
	unable	Seluoni	Sometimes	Usuany	Always
A. Persistent Walking (PW)					
He/she does a lot of spontaneous walking.	1	2	3	4	5
He/she goes to many different places while	1	2	3	4	5
walking.					
He/she gets up and walks during the night.	1	2	3	4	5
He/she walks around restlessly.	1	2	3	4	5
He/she walks around between awakening and	1	2	3	4	5
breakfast.					
He/she walks about aimlessly.	1	2	3	4	5
He/she travels many different routes while walking.	1	2	3	4	5
He/she walks around between lunch and dinner.	1	2	3	4	5
He/she often changes direction or course while	1	2	3	4	5
walking.					
He/she walks around between breakfast and lunch.	1	2	3	4	5
He/she walks for an odd or inappropriate reason.	1	2	3	4	5
He/she walks around between dinner and bedtime.	1	2	3	4	5
He/she walks without an apparent destination.	1	2	3	4	5
He/she walks during inappropriate times.	1	2	3	4	5
SUBSCALE SCORE					
B. Repetitive Walking (RW)					
He/she walks intensely between two places.	1	2	3	4	5
He/she paces up and down.	1	2	3	4	5
He/she walks back and forth between two places in	1	2	3	4	5
a repetitive way.					
He/she walks in one continuous direction.	1	2	3	4	5
He/she goes repeatedly to the same location(s)	1	2	3	4	5
while walking.					
He/she repeatedly travels the same route while	1	2	3	4	5
walking.					
He/she walks in a continuous route, as if on a track	1	2	3	4	5
SUBSCALE SCORE					
C. Eloping Behaviour (EB)					
He/she runs off.	1	2	3	4	5
While walking alone, he/she walks beyond	1	2	3	4	5
intended destination.	_			-	
He/she attempts to go outside.	1	2	3	4	5
He/she stands at the outdoor wanting to go out.	1	2	3	4	5
He/she attempts to find or go to familiar locations,	1	2	3	4	5
even unrealistic ones.					
He/she attempts to leave his/her own area	1	2	3	4	5
He/she gets lost outside the house.	1	2	3	4	5

Revised Algase Wandering Scale (RAWS) – Community Version Nelson, A. L. (2007). *Evidence-based protocols for managing wandering behaviors*. Springer Publishing Company.

Please circle the number beside the statement which best describes your family

1 = never or unable; $2 =$ seldom; $3 =$ some					
		2	3	4	5
	Never/ unable	Seldom	Sometimes	Usually	Always
He/she enters private or unauthorized areas	1	2	3	4	5
SUBSCALE SCORE					
D. Spatial Disorientation (SD)					
He/she cannot locate own room without help.	1	2	3	4	5
He/she cannot locate bathroom without help.	1	2	3	4	5
He/she gets lost inside the house.	1	2	3	4	5
He/she cannot locate dining room without help.	1	2	3	4	5
SUBSCALE SCORE					
E. Negative Outcome (NO)					
While walking alone, he/she has fallen down.	1	2	3	4	5
He/she has been found with some major injury.	1	2	3	4	5
He/she has been found with some minor injury.	1	2	3	4	5
While walking alone, he/she bumps into obstacles	1	2	3	4	5
or other people.					
SUBSCALE SCORE					
F. Mealtime Impulsivity (MI)					
He/she walks off during meals.	1	2	3	4	5
During meals, he/she tries to leave the table or		2	3	4	5
walks away.					
SUBSCALE SCORE					

member's current ability or behaviour. Use the following scale: 1= never or unable: 2 = seldom: 3 = sometimes: 4 = usually: 5 = always

Revised Algase Wandering Scale (RAWS) – Community Version

Scoring Instructions

1. Calculate the Mean Subscale scores

2. From the mean subscale scores that you have calculate, rank each subscale from

1(highest priority) - 6 (lowest priority)

3. For the top three priority areas, identify the potential risks associated with wandering for that person.

	Subscale score	Mean Subscale score = subscale score/number of items	Priority
Total RAWS-CV			
score			
Persistent Walking			
subscale (14 items)			
Repetitive Walking			
subscale (7 items)			
Eloping Behaviour			
subscale (8 items)			
Spatial Disorientation			
subscale (4 items)			
Negative Outcomes			
subscale (4 items)			
Mealtime Impulsivity			
subscale (2 items)			

Revised Algase Wandering Scale (RAWS) – Community Version

Р	р	P	
Priority 3.	Priority 2.	Priority 1.	Priority area
			Risk Associated with Wandering
			Interventions
			Carer Actions
			Outcome measures/level of effectiveness